

Serial No. 09/725,737

Attorney Docket: 500-002US



**IN THE UNITED STATES  
PATENT AND TRADEMARK OFFICE**

**Patent Application**

**Inventors:** Peter Joseph  
Giacomini et al.

**Serial No.:** 09/725,737

**Filing Date:** 11/29/2000

**Art Unit:** 2142

**Examiner:** Thong H Vu

**Docket No.:** 500-002US

**Title:** Method and Apparatus For Economical Cache Population

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Certificate of Mailing

I hereby certify that this correspondence is being deposited  
with the United States Postal Service with sufficient postage  
as first class mail in an envelope addressed to:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA  
22313-1450 on 20 February 2006.

Name of person signing this certificate: Jason Paul DeMont.

Signature 

**APPEAL BRIEF UNDER 37 CFR 41.67**

Pursuant to 37 CFR 41.67, this brief is filed in support of the appeal in this  
application.

**REAL PARTY IN INTEREST**

The real party of interest in this application is the assignee of this application:  
Broadspider Networks, Inc.

**RELATED APPEALS AND INTERFERENCES**

There are no related appeals or interferences.

**STATUS OF CLAIMS**

Claims 1 through 32 stand rejected and are being appealed.

**STATUS OF AMENDMENTS**

There have been no amendments made subsequent to the final rejection.

**SUMMARY OF THE CLAIMED SUBJECT MATTER**

The present invention relates to data processing systems and computer networks in  
general, and, more particularly, to techniques for storing resources in a cache.

In the context of a computer network, when a user of the World Wide Web requests a Web page, the user must wait until the page is available on his or her data processing system (e.g., computer, etc.) for viewing. In general, this wait occurs because the request for the Web page must traverse the Internet from the user's data processing system to the data processing system that is the source of the page, the request must be fulfilled, and the requested page must travel back to the user's system. If the Internet is congested or the data processing system that is the source of the page is overwhelmed, the wait can be considerably long. [Specification Page 1, Lines 10-16]

To shorten this wait, special data processing systems are deployed throughout the Internet to expedite the delivery of some Web pages. Some of these data processing systems expedite the delivery of Web pages by functioning as cache memories, which are also known as "caches." For example, a cache stores commonly requested Web pages and thereafter intercepts and fulfills requests for those pages, which eliminates the need for the request having to travel to, and be serviced by, the principal memory. [Specification Page 1, Lines 17-22]

A cache expedites the delivery of the Web page in two ways. First, a cache eliminates the need for the request to travel all of the way to the system that is the ultimate source of the page, and, therefore, eliminates some of the wait associated with the transit. Second, a cache also reduces the number of Web page requests that must be fulfilled by the system that is the ultimate source of the page, and, therefore, the wait associated with contention for the system is eliminated. [Specification Page 1, Lines 18-27]

Caches are also used to expedite processing in data processing systems and their operation in data processing systems is roughly analogous to, with notable exceptions, their operation in computer networks. At this time, the applicants do not believe that the differences between the use of cache in computer networks and in data processing systems are germane to the present appeal and the scope of the pending claims encompass the use of the present invention in both computer networks and data processing systems.

When a cache is full and an additional resource is to be stored in the cache, the cache must have an algorithm for deciding which resource gets purged to make room for the additional resource. There is a lot of prior art in this area.

In contrast, there is not a lot of prior art addressing the issue of when to store the resource in the cache in the first place. Typically, a resource is stored in a cache either (1) the first time that it is requested, or (2) pre-emptively before the first time that it is

requested. The present invention addresses the issue of when to store a resource in a cache that is particularly efficient.

For example, a cache in accordance with the present invention is populated with a resource only when at least  $i$  requests for the resource have been received, wherein  $i$  is an integer and is, at least occasionally, greater than one. For example, a cache in accordance with the illustrative embodiment might not be populated with a resource unless two requests for the resource have been received within 10 minutes. In general, embodiments of the present invention are advantageous because they prevent the cache from being populated with infrequently requested resources. [Specification Page 3, Lines 21-31]

### **GROUND OF REJECTION TO BE REVIEWED ON APPEAL**

#### **Ground 1: 35 U.S.C. 112 Rejection of Claims 1, 8, 15, and 24**

Claims 1, 8, 15, and 24 were rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the applicants regard as the invention.

#### **Ground 2: 35 U.S.C. 102 Rejection of Claims 1-32**

Claims 1 through 32 have been rejected under 35 U.S.C. 102(e) as being anticipated by D.A. Mulla et al., U.S. Patent 6,427,189 (hereinafter "Mulla").

#### **Ground 3: 35 U.S.C. 102 Rejection of Claims 1-32**

Claims 1 through 32 have been rejected under 35 U.S.C. 102(e) as being anticipated by C.L. Fuoco et al., U.S. Patent 6,408,345 (hereinafter "Fuoco").

### **ARGUMENTS**

#### **Ground 1: 35 U.S.C. 112 Rejection of Claims 1, 8, 15, and 24**

Claims 1, 8, 15, and 24 were rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which the applicants regard as the invention. In particular, the Office action asserts that it is unclear How and When occasionally or under What condition the integer will be greater than one. The applicants respectfully traverse the rejection.

In order to comply with 35 U.S.C. 112, second paragraph, the claims do not need to specify how, when or under what conditions the integer  $i$  will be greater than one. Such a detail describes the invention. In contrast, 35 U.S.C. 112, second paragraph, requires that

the applicant define the invention, and there is no vagueness or ambiguity in the scope of the claim as it currently reads. Therefore, the applicants respectfully submit that the rejection is traversed.

The Office action states:

The term "occasionally" in claims 1, 8, 15, 24 are used by the claim to mean "parallel or concurrently request" or "the threshold for at least two requests", while the accepted meaning is "an integer at least occasionally greater than one." The term is indefinite because the specification does not clearly redefine the term.

The applicants respectfully disagree.

The meaning of the term "occasionally" in the claims is the same as its ordinary meaning: "now and then," "from time to time," "sometimes," *etc.* The applicants have not exercised their right to be their own lexicographer.

Contrary to the contention of the Office, the term "occasionally" does not mean "parallel or concurrently request" or "the threshold for at least two requests." Furthermore, and again contrary to the contention of the Office, the term "occasionally" does not mean "an integer at least occasionally greater than one."

For these reasons, the applicants respectfully submit that the rejection is traversed.

**Ground 2: 35 U.S.C. 102 Rejection of Claims 1-32**

Claims 1 through 32 have been rejected under 35 U.S.C. 102(e) as being anticipated by D.A. Mulla et al., U.S. Patent 6,427,189 (hereinafter "**Mulla**").

Claim 1 recites:

**1.** A method comprising:  
*populating a cache with a resource only when at least i requests for said resource have been received;*  
wherein *i* is an integer and is at least occasionally greater than one.  
*(emphasis supplied)*

Nowhere does Mulla teach or suggest, alone or in combination with the other references, what claim 1 recites – namely, populating a cache with a resource only upon the successful resolution of a test – the test (at least occasionally) being the reception of two or more requests for the resource.

Mulla teaches a multi-port cache that can be populated with two resources in one clock cycle. The Office is confusing the ability to store two resources into a cache simultaneously as the same thing as waiting to populate a cache with a resource until there have been two requests for the resource. Clearly, they are not the same thing. In fact, the reference isn't even near the present invention.

For this reason, the applicants respectfully submit that the rejection of claim 1 is traversed.

Because claims 2 through 7 depend on claim 1, the applicants respectfully submit that the rejection of them is also traversed.

Claim 8 recites:

**8.** A data processing system comprising:  
a cache for storing a resource; and  
a processor for *populating said cache with said resource only when at least  $i$  requests for said resource have been received*;  
wherein  $i$  is an integer and is at least occasionally greater than one.  
(*emphasis supplied*)

For the same reasons as those given with respect to claim 1, nowhere does Mulla teach or suggest, alone or in combination with the other references, what claim 8 recites – namely, populating a cache with a resource only upon the successful resolution of a test – the test (at least occasionally) being the reception of two or more requests for the resource.

Because claims 9 through 14 depend on claim 8, the applicants respectfully submit that the rejection of them is also traversed.

Claim 15 recites:

**15.** A method comprising:  
receiving at a first node in a computer network at least one request for a resource;  
retrieving said resource from a second node in said computer network;  
and  
*populating a cache in said first node with said resource only when at least  $i$  requests for said resource have been received at said first node;*  
wherein  $i$  is an integer and is at least occasionally greater than one.  
*(emphasis supplied)*

For the same reasons as those given with respect to claim 1, nowhere does Mulla teach or suggest, alone or in combination with the other references, what claim 15 recites – namely, populating a cache with a resource only upon the successful resolution of a test – the test (at least occasionally) being the reception of two or more requests for the resource.

Because claims 16 through 23 depend on claim 15, the applicants respectfully submit that the rejection of them is also traversed.

Claim 24 recites:

**24.** A first node in a computer network, said first node comprising:  
a cache;  
at least one receiver for receiving at least one request for a resource;  
and  
a processor for retrieving said resource from a second node in said computer network, and for *populating said cache in said first node with said resource only when at least  $i$  requests for said resource have been received at said first node;*  
wherein  $i$  is an integer and is at least occasionally greater than one.  
*(emphasis supplied)*

For the same reasons as those given with respect to claim 1, nowhere does Mulla teach or suggest, alone or in combination with the other references, what claim 24 recites – namely, populating a cache with a resource only upon the successful resolution of a test – the test (at least occasionally) being the reception of two or more requests for the resource.

Because claims 26 through 32 depend on claim 24, the applicants respectfully submit that the rejection of them is also traversed.

**Ground 3: 35 U.S.C. 102 Rejection of Claims 1-32**

Claims 1 through 32 have been rejected under 35 U.S.C. 102(e) as being anticipated by C.L. Fuoco et al., U.S. Patent 6,408,345 (hereinafter "**Fuoco**").

Claim 1 recites:

**1.** A method comprising:  
*populating a cache with a resource only when at least  $i$  requests for said resource have been received;*  
wherein  $i$  is an integer and is at least occasionally greater than one.  
*(emphasis supplied)*

Nowhere does Fuoco teach or suggest, alone or in combination with the other references, what claim 1 recites – namely, populating a cache with a resource only upon the successful resolution of a test – the test (at least occasionally) being the reception of two or more requests for the resource.

Like Mulla above, Fuoco teaches a multi-port cache that can read two resources in one clock cycle, and here again, the Office is confusing the ability to read two resources into a cache simultaneously as the same thing as waiting to populate a cache with a resource until there have been two requests for the resource.

For this reason, the applicants respectfully submit that the rejection of claim 1 is traversed.

Because claims 2 through 7 depend on claim 1, the applicants respectfully submit that the rejection of them is also traversed.

Claim 8 recites:

**8.** A data processing system comprising:  
a cache for storing a resource; and  
a processor for *populating said cache with said resource only when at least  $i$  requests for said resource have been received;*  
wherein  $i$  is an integer and is at least occasionally greater than one.  
*(emphasis supplied)*

For the same reasons as those given with respect to claim 1, nowhere does Fuoco teach or suggest, alone or in combination with the other references, what claim 8 recites – namely, populating a cache with a resource only upon the successful resolution of a test – the test (at least occasionally) being the reception of two or more requests for the resource.

Because claims 9 through 14 depend on claim 8, the applicants respectfully submit that the rejection of them is also traversed.

Claim 15 recites:

**15.** A method comprising:  
receiving at a first node in a computer network at least one request for a resource;  
retrieving said resource from a second node in said computer network;  
and  
*populating a cache in said first node with said resource only when at least  $i$  requests for said resource have been received at said first node;*  
wherein  $i$  is an integer and is at least occasionally greater than one.  
*(emphasis supplied)*

For the same reasons as those given with respect to claim 1, nowhere does Fuoco teach or suggest, alone or in combination with the other references, what claim 15 recites – namely, populating a cache with a resource only upon the successful resolution of a test – the test (at least occasionally) being the reception of two or more requests for the resource.

Because claims 16 through 23 depend on claim 15, the applicants respectfully submit that the rejection of them is also traversed.

Claim 24 recites:

**24.** A first node in a computer network, said first node comprising:  
a cache;  
at least one receiver for receiving at least one request for a resource;  
and  
a processor for retrieving said resource from a second node in said computer network, and for *populating said cache in said first node with said resource only when at least  $i$  requests for said resource have been received at said first node;*  
wherein  $i$  is an integer and is at least occasionally greater than one.  
*(emphasis supplied)*

For the same reasons as those given with respect to claim 1, nowhere does Fuoco teach or suggest, alone or in combination with the other references, what claim 24 recites – namely, populating a cache with a resource only upon the successful resolution of a test – the test (at least occasionally) being the reception of two or more requests for the resource.


Because claims 26 through 32 depend on claim 24, the applicants respectfully submit that the rejection of them is also traversed.



**CONCLUSION**

The applicants have demonstrated that the logic underlying the Office's rejections is untenable, and, therefore, that the rejections are not sustainable. For this reason, the applicants request that the Board of Appeals reverse the decision of the Examiner as provided for in 37 C.F.R. § 41.50(a).

Respectfully,  
DeMont & Breyer, LLC

By   
Jason Paul DeMont  
Reg. No. 35793  
Attorney for Applicants  
732-578-0103 x11

Date 2/20/06

DeMont & Breyer, L.L.C.  
Suite 250  
100 Commons Way  
Holmdel, NJ 07733  
United States of America

**CLAIMS APPENDIX**

1. (Previously Presented) A method comprising:  
populating a cache with a resource only when at least  $i$  requests for said resource have been received;  
wherein  $i$  is an integer and is at least occasionally greater than one.
  2. (Original) The method of claim 1 wherein the value of  $i$  is invariant.
  3. (Original) The method of claim 1 wherein the value of  $i$  is based on calendrical time.
  4. (Original) The method of claim 1 wherein said cache is populated with said resource only when at least  $i$  requests for said resource have been received within an elapsed time interval,  $\Delta t$ .
  5. (Original) The method of claim 4 wherein the duration of said elapsed time interval,  $\Delta t$ , is based on the value of  $i$ .
  6. (Original) The method of claim 4 wherein the value of  $i$  is based on calendrical time.
  7. (Original) The method of claim 4 wherein the duration of said elapsed time interval,  $\Delta t$ , is based on calendrical time.
- 
8. (Previously Presented) A data processing system comprising:  
a cache for storing a resource; and  
a processor for populating said cache with said resource only when at least  $i$  requests for said resource have been received;  
wherein  $i$  is an integer and is at least occasionally greater than one.
  9. (Original) The data processing system of claim 8 wherein the value of  $i$  is invariant.
  10. (Original) The data processing system of claim 8 wherein the value of  $i$  is based on calendrical time.

**11.** (Original) The data processing system of claim 8 wherein said cache is populated with said resource only when at least  $i$  requests for said resource have been received within an elapsed time interval,  $\Delta t$ .

**12.** (Original) The data processing system of claim 8 wherein the duration of said elapsed time interval,  $\Delta t$ , is based on the value of  $i$ .

**13.** (Original) The data processing system of claim 8 wherein the value of  $i$  is based on calendrical time.

**14.** (Original) The data processing system of claim 8 wherein the duration of said elapsed time interval,  $\Delta t$ , is based on calendrical time.

---

**15.** (Previously Presented) A method comprising:  
receiving at a first node in a computer network at least one request for a resource;  
retrieving said resource from a second node in said computer network; and  
populating a cache in said first node with said resource only when at least  $i$  requests for said resource have been received at said first node;  
wherein  $i$  is an integer and is at least occasionally greater than one.

**16.** (Original) The method of claim 15 wherein the value of  $i$  is invariant.

**17.** (Original) The method of claim 15 wherein the value of  $i$  is based on calendrical time.

**18.** (Original) The method of claim 15 wherein said cache is populated with said resource only when at least  $i$  requests for said resource have been received within an elapsed time interval,  $\Delta t$ .

**19.** (Original) The method of claim 18 wherein the duration of said elapsed time interval,  $\Delta t$ , is based on the value of  $i$ .

**20.** (Original) The method of claim 18 wherein the value of  $i$  is based on calendrical time.

**21.** (Original) The method of claim 18 wherein the duration of said elapsed time interval,  $\Delta t$ , is based on calendrical time.

**22.** (Original) The method of claim 15:

wherein said computer network is a hierarchical computer network and said first node has  $m$  filial nodes;

wherein said cache is populated with said resource only when at least one request for said resource has been received from at least  $n$  of said  $m$  filial nodes; and

wherein  $m$  is an integer greater than one,  $n$  is an integer greater than one, and  $m \geq n$ .

**23. (Original)** The method of claim 15:

wherein said computer network is a hierarchical computer network and said first node has  $m$  filial nodes;

wherein said cache is populated with said resource only when at least one request for said resource has been received from at least  $n$  of said  $m$  filial nodes within an elapsed time interval,  $\Delta t$ ; and

wherein  $m$  is an integer greater than one,  $n$  is an integer greater than one, and  $m \geq n$ .

---

**24. (Previously Presented)** A first node in a computer network, said first node comprising:

a cache;

at least one receiver for receiving at least one request for a resource; and

a processor for retrieving said resource from a second node in said computer network, and for populating said cache in said first node with said resource only when at least  $i$  requests for said resource have been received at said first node;

wherein  $i$  is an integer and is at least occasionally greater than one.

**25. (Original)** The first node of claim 24 wherein the value of  $i$  is invariant.

**26. (Original)** The first node of claim 24 wherein the value of  $i$  is based on calendrical time.

**27. (Original)** The first node of claim 24 wherein said cache is populated with said resource only when at least  $i$  requests for said resource have been received within an elapsed time interval,  $\Delta t$ .

**28. (Original)** The first node of claim 27 wherein the duration of said elapsed time interval,  $\Delta t$ , is based on the value of  $i$ .

**29.** (Original) The first node of claim 27 wherein the value of  $i$  is based on calendrical time.

**30.** (Original) The first node of claim 27 wherein the duration of said elapsed time interval,  $\Delta t$ , is based on calendrical time.

**31.** (Original) The first node of claim 24:  
wherein said computer network is a hierarchical computer network and said first node has  $m$  filial nodes;  
wherein said cache is populated with said resource only when at least one request for said resource has been received from at least  $n$  of said  $m$  filial nodes; and  
wherein  $m$  is an integer greater than one,  $n$  is an integer greater than one, and  $m \geq n$ .

**32.** (Original) The first node of claim 24:  
wherein said computer network is a hierarchical computer network and said first node has  $m$  filial nodes;  
wherein said cache is populated with said resource only when at least one request for said resource has been received from at least  $n$  of said  $m$  filial nodes within an elapsed time interval,  $\Delta t$ ; and  
wherein  $m$  is an integer greater than one,  $n$  is an integer greater than one, and  $m \geq n$ .

**EVIDENCE APPENDIX**

No evidence has been entered in this case.

**RELATED PROCEEDINGS APPENDIX**

There are no related appeals or interferences.